

Form - IV
(See rule 13)
ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBMWTF)]

Sl. No.	Particulars		
1.	Particulars of the Occupier		
	(i) Name of the Authorised person (occupier or : operator of facility)	:	Aravind Eye Hospital – IP Block
	ii) Name of HCF	:	Aravind Eye Hospital
	iii) Address for Correspondence	:	10, K.K. Salai 3rd Street, Anna Nagar
	iv) Address of Facility	:	Madurai 625 020
	v) Tel No., Fax No.	:	94434 39977
	vi) E-mail ID	:	<u>jevachandran@aravind.org</u>
	vii) URL of Website	:	<u>www.aravind.org</u>
	viii) GPS Co-ordinates of HCF or CBMWTF	:	9.922135 – Latitude 78.139680 – Longitude
	ix) Ownership of HCF or CBMWTF	:	Private
	x) Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	:	Authorisation No. 22BAZ39585727 dated on 21.01.2022 valid to 31.03.2025
	(xi). Status of Consents under Water and Air Act	:	Valid up to 31.03.2025
2.	Type of Health Care Facility		
	i) Bedded Hospital		No. of Beds: 250 Nos.
	ii) Non Bedded Hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)		N/A
	iii) License Number and its date of expiry		
3.	Details of CBMWTF		
	i) Number healthcare facilities covered by CBMWTF		N/A
	ii) No of Beds covered by CBMWTF		N/A
	iii) Installed treatment and disposal capacity of CBMWTF		N/A
	iv) Quantity of Bio Medical Waste Treated or disposed by CBMWTF		
4.	Quantity of Waste Generated or disposed in Kg per annum (on monthly average basis)		Yellow Category : 2287.41 Kg/year
			Red Category : ----
			White : 552.24 Kg/year
			Blue Category : ----
			General Solid Waste : ----
5.	Details of the Storage, treatment, Transportation, processing and disposal facility		
	i) Details of the on-site storage facility		Size : 4 m x 2.5 m = 10 Sq.m. Area
			Capacity :
			Previous of onsite Storage : (cold storage or any other provision

	ii) Disposal Facilities	Type of treatment equipment	No of Units	Capacity Kg/day	Quantity treated or disposed in Kg per annum
		Incinerators			
		Plasma Pyrolysis			
		Autoclaves			
		Microwave			
		Hydroclave			
		Shredder			
		Needle tip cutter or destroyer			
		Sharps encapsulation or concrete pit			
		Deep Burial Pits			
		Chemical disfection			
		Any other treatment equipment			
	iii). Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum	Red category (like plastic, glass etc.) No			
	iv). No. of vehicles used for collection and transportation of biomedical waste	CBMWTF Vehicle			
	v). Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum	<div>Quantity Generated</div> <div>Where disposed</div> <div>Incineration :</div> <div>Ash : N/A</div> <div>ETP Sludge :</div>			
	vi) Name of the Common Bio Medical Waste Treatment Facility Operator Through which wastes are disposed for	M/s. Re sustainability Healthcare Solutions Ltd, 2B/1, Vaigai Main Street, Velmurugan Nagar, Bypass Road, Madurai 625 020			
	vii). List of member HCF not handed over Bio Medical Waste	N/A			
6.	Do you have bio-medical waste management committee? If yes attach minutes of the meetings held during the reporting period	NO			
7.	Details training conducted on BMW				
	i) Number of trainings conducted on BMW Management	4			

	(ii) Number of personnel trained	25 Nos.
	(iii) Number of personnel trained at the time of induction	25 Nos.
	(iv) Number of personnel not undergone any training so far	-----
	(v) Whether standard manual for training is available?	Yes
	(vi) any other information	N/A
8	Details of the accident occurred during the year	
	(i) Number of Accidents occurred	
	(ii) Number of the persons affected	
	(iii) Remedial Action taken (Please attach details if any)	
	(iv) Any Fatality occurred details	
9	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	N/A
	Details of Continuous online emission monitoring systems installed	N/A
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	N/A
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	N/A
12	Any other relevant information	(Air Pollution Control Devices attached with the Incinerator) Provided DG sets Acoustic enclosures with stack.

Certified that the above report is for the period from

.....
.....
.....
.....
.....

Name and Signature of the Head of the Institution

Date: 31.03.2025

Place: Madurai

Dr. R. KIM
Chief Medical Officer
ARAVIND EYE HOSPITAL
1, Anna Nagar
MADURAI - 625 020