

Form - IV
(See rule 13)
ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No.	Particulars		
1.	Particulars of the Occupier	:	
	(i) Name of the authorised person (occupier or operator of facility)	:	Dr.T.N.Deepa, Medical Officer Incharge
	(ii) Name of HCF or CBMWTF	:	M/s Aravind Eye Hospital, Tirupur
	(iii) Address for Correspondence	:	Opp. Vivekananda Matriculation Higher Secondary School, Dharapuram Main Road, K. Chettipalayam Post, Tirupur 641 608
	(iv) Address of Facility	:	Opp. Vivekananda Matriculation Higher Secondary School, Dharapuram Main Road, K. Chettipalayam Post, Tirupur 641 608
	(v) Tel. No, Fax. No	:	(0421) 350 6100, 87547 28996
	(vi) E-mail ID	:	tup.info@aravind.org
	(vii) URL of Website	:	www.aravind.org
	(viii) GPS coordinates of HCF or CBMWTF	:	
	(ix) Ownership of HCF or CBMWTF	:	Private
	(x). Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	:	Authorisation No: 20BAD32674839 Valid up to : 31/03/2030
	(xi). Status of Consents under Water Act and Air Act	:	Air Consent : Authorisation No: 2008230949242 Valid up to: 31/03/2030 Water Consent: Authorisation No: 2008130949242 Valid up to: 31/03/2030
2.	Type of Health Care Facility	:	Eye Hospital
	(i) Bedded Hospital	:	No. of Beds: 10
	(ii) Non-bedded hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	
	(iii) License number and its date of expiry	:	TRPRALL20250005142 12.12.2029
3.	Details of CBMWTF	:	
	(i) Number healthcare facilities covered by CBMWTF	:	
	(ii) No of beds covered by CBMWTF	:	
	(iii) Installed treatment and disposal capacity of CBMWTF:	:	_____ Kg per day

	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	:	_____ Kg/day			
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	:	Yellow Category:1099.88Kgs per Red Category:844.4 Kgs per annum White: Blue Category :480.302 Kgs per General Solid waste:			
5	Details of the Storage, treatment, transportation, processing and Disposal Facility					
	(i) Details of the on-site storage facility	:	Size : 13' x 4.5' Capacity : 468 cft Provision of on-site storage : NIL			
	(ii) Details of the treatment or disposal facilities	:	Type of treatment equipment	No of units	Capacity Kg/day	Quantity treated or disposed in kg per annum
			Incinerators			
			Plasma Pyrolysis			
			Autoclaves			
			Microwave			
			Hydroclave			
			Shredder			
			Needle tip cutter or destroyer	- 4		
			Sharps encapsulation or concrete pit	- NIL		
			Deep burial pits:			
			Chemical disinfection:	-		
			Any other treatment equipment:			
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	:	Orange Category (like plastic, glass etc.)			
	(iv) No of vehicles used for collection and transportation of biomedical waste	:				
	(v) Details of incineration ash and ETP sludge generated and disposed		Quantity generated	Where disposed		

	during the treatment of wastes in Kg per annum		Incineration Ash ETP Sludge
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	:	M/s Tekno Therm Industries
	(vii) List of member HCF not handed over bio-medical waste.		
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period		As a part of Multi-Disciplinary committee.
7	Details trainings conducted on BMW		
	(i) Number of trainings conducted on BMW Management.		5
	(ii) number of personnel trained		
	(iii) number of personnel trained at the time of induction		64
	(iv) number of personnel not undergone any training so far		NIL
	(v) whether standard manual for training is available?		Yes
	(vi) any other information)		NIL
8	Details of the accident occurred during the year		
	(i) Number of Accidents occurred		
	(ii) Number of the persons affected		Not Applicable
	(iii) Remedial Action taken (Please attach details if any)		
	(iv) Any Fatality occurred, details.		
9.	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?		Not Applicable
	Details of Continuous online emission monitoring systems installed		
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?		Not Applicable
11	Is the disinfection method or sterilization meeting the log 4		Not Applicable

	standards? How many times you have not met the standards in a year?		
12	Any other relevant information	:	Not Applicable

Certified that the above report is for the period from 01/01/2024 to 31/12/2024

[Handwritten Signature]

Name and Signature of the Head of the Institution

Date: 22.07.2025

Place: Tirupur

Dr. DEEPA T.N.
Regn. TNMC 141297
Date..... Time.....

MEDICAL OFFICER INCHARGE
ARAVIND EYE HOSPITAL
DHARAPURAM MAIN ROAD
TIRUPUR-641 608.